

NEGAHBAN

NEGAHBAN FIRE & SAFETY Co. Ltd.



Office: No.2, East Kaveh Alley, South Kaveh Exit, Sadr Highway (East), Tehran
Postal Code:1939747622

Tel: (+98) 21 22630120 - 22630166 - 22630422 - 22630484 - 22630495
Fax: (+98) 21 22639198

Factory: No.110/1, West 9th st., Farvardin Blvd., Safadasht Industrial Zone.
Tel: (+98) 21 65420119 - 65420124

www.negahbanfire.com info@negahbanfire.com



BestGraphic.com
0912 888 6100



NEGAHBAN

FIRE & SAFETY Co. Ltd.

www.negahbanfire.com



CONTENTS

04-11 HYDRANT & VALVE

12-13 MONITORS

14-15 SPRAY NOZZLES & NOZZLES

16-17 AUTOMATIC FIRE SUPPRESSION SYSTEM

17-20 FOAM SYSTEMS

21-22 SAFETY SHOWER & EYE WASH / SAFETY EYEWASH

23 ADAPTOR & COUPLING

24 HOSE BOX & HOSE REEL


25-26 SUPPLYING ITEMS

FIRE WATER HYDRANTS

PILLAR HYDRANT (NF-H5)


MATERIAL:	CARBON STEEL / STAINLESS STEEL / GALVANIZED STEEL
FABRICATION METHOD:	WELDING
INLET/ OUTLETS:	AS PER ORDER

*: OTHER SIZES AND SPECIFICATION CAN BE FOLLOWED RECEIVING CLIENT ORDER



DRY BARREL HYDRANT (NF-H1-D)


Dry Barrel Hydrants are installed in cold weather areas and the shut-off valve is located underground. here's no water left above ground after the hydrant has been used, so the hydrant is safe from freezing in cold regions.



ITEM:	SIZE:	TECHNICAL DATA/MATERIAL
NF-H1	3" / 4"	CAST IRON (C.I) DUCTILE IRON(D.I)
BURIED DEPTH:	
OUTLET: STORZ	2 ½"	ALUMINUM
PUMPER CONNECTION: STORZ	4"	ALUMINUM
BASE SHOE:	ELBOW TYPE	STRAIGHT TYPE

*: OTHER SIZES AND SPECIFICATION CAN BE FOLLOWED RECEIVING CLIENT ORDER

**DRY BARREL HYDRANT
(NF-H2-D)**




Dry Barrel Hydrants are installed in cold weather areas and the shut-off valve is located underground. here's no water left above ground after the hydrant has been used, so the hydrant is safe from freezing in cold regions.


ITEM:	SIZE:	TECHNICAL DATA/MATERIAL
NF-H2	4" 6"	CAST IRON DUCTILE IRON
BURIED DEPTH:	
OUTLET: NF-V2-TI NF-V3-TI NF-V4-TI NF-V4B-TI CAP STORZ		REFER TO PAGE 09-10 REFER TO PAGE 09-10 REFER TO PAGE 09-10 REFER TO PAGE 09-10 FEMALE THREAD ALUMINUM
MONITOR: NF-M1 NF-M2 NF-M4 NF-M5	3" 4" 3" 4"	REFER TO PAGE 12-13 REFER TO PAGE 12-13 REFER TO PAGE 12-13 REFER TO PAGE 12-13
ISOLATING VALVE: BUTTERFLY VALVE (WAFER TYPE) GATE VALVE	4"	CARBON STEEL DUCTILE IRON BRONZE NI-AL-BR
PUMPER CONNECTION: PUMPER & CAP STORZ PUMPER & BUTTERFLY VALVE PUMPER WITH GATE VALVE	5 1/2" 5" 4 1/2" 4" 4" 4"	BRONZE BRONZE BRONZE BRONZE ALUMINUM BUTTERFLY VALVE WAFER TYPE GATE VALVE: NF-V1-TT
BASE SHOE	ELBOW	STRAIGHT

*: OTHER SIZES AND SPECIFICATION CAN BE FOLLOWED RECEIVING CLIENT ORDER

WET BARREL HYDRANT (NF-H2-W)



Wet Barrel Hydrants are installed in warm weather areas and the shut-off valves are above ground.



ITEM:	SIZE:	TECHNICAL DATA/MATERIAL
NF-H2	4" 6"	CAST IRON DUCTILE IRON
OUTLET: NF-V2-TI NF-V3-TI NF-V4-TI NF-V4B-TI CAP STORZ		REFER TO PAGE 09-10 REFER TO PAGE 09-10 REFER TO PAGE 09-10 REFER TO PAGE 09-10 FEMALE THREAD ALUMINUM
MONITOR: NF-M1 NF-M2 NF-M4 NF-M5	3" 4" 3" 4"	REFER TO PAGE 12-13 REFER TO PAGE 12-13 REFER TO PAGE 12-13 REFER TO PAGE 12-13
ISOLATING VALVE: BUTTERFLY VALVE (WAFFER TYPE) GATE VALVE	4"	CARBON STEEL DUCTILE IRON BRONZE NI-AL-BR
PUMPER CONNECTION: PUMPER & CAP	5 1/2" 5" 4 1/2" 4"	BRONZE BRONZE BRONZE BRONZE
STORZ	4"	ALUMINUM
PUMPER & BUTTERFLY VALVE		BUTTERFLY VALVE WAFFER TYPE
PUMPER WITH GATE VALVE	4"	GATE VALVE: NF-V1-TT

*: OTHER SIZES AND SPECIFICATION CAN BE FOLLOWED RECEIVING CLIENT ORDER