

NEGAHBAN

NEGAHBAN FIRE & SAFETY Co. Ltd.



Office: No.2, East Kaveh Alley, South Kaveh Exit, Sadr Highway (East), Tehran
Postal Code:1939747622

Tel: (+98) 21 22630120 - 22630166 - 22630422 - 22630484 - 22630495
Fax: (+98) 21 22639198

Factory: No.110/1, West 9th st., Farvardin Blvd., Safadasht Industrial Zone.
Tel: (+98) 21 65420119 - 65420124

www.negahbanfire.com info@negahbanfire.com



BestGraphic.com
0912 888 6100



NEGAHBAN

FIRE & SAFETY Co. Ltd.

www.negahbanfire.com





NEGAHBAN

FIRE & SAFETY Co.



NEGAHBAN

FIRE & SAFETY Co.

About us:

Negahban Fire & Safety Co. established in 1981 as the first Iranian manufacturer and supplier of industrial firefighting equipment. Since then it has developed continuously and become one of the most reputable Iranian firefighting companies in the field of oil, gas and petrochemical industries.

Along with domestic manufacturing, Negahban has been in connection with international companies able to supply wide range of firefighting products for oil industry.

As the old member of Society of Iranian Petroleum Industries Equipment Manufacturers (S.O.P.I.E.M), Negahban is now included in the approved vendor list of the most renowned contractors and end user companies.

Negahban as the pioneer and knowledge enterprise company is honored that its products have been installed in most sites and plants in Iran. Satisfaction of clients during the years has caused Negahban to move forward manufacture updated firefighting products and give excellent after sales service.



FIRE WATER MONITOR

ITEM:	INLET SIZE:	MATERIAL:	DES.:
NF-M1	3" / FLANGED 4" / FLANGED	CARBON STEEL BRONZE STAINLESS STEEL	360 DEG HORIZONTAL ROTATION, -45 TO +80 DEG VERTICAL ELEVATION,
NF-M2	4" / FLANGED	BRONZE	360 DEG HORIZONTAL ROTATION, -45 TO +80 DEG VERTICAL ELEVATION,
NF-M3	2 X 2 1/2" INST. MALE ACC. TO BS 336	ALUMINUM ALLOY	PORTABLE / MOBILE MONITOR
NF-M4	4" / FLANGED	DUCTILE IRON	360 DEG HORIZONTAL ROTATION, -45 TO +80 DEG VERTICAL ELEVATION, INDUCTION 1% TO 6%
NF-M5	3" / FLANGED 4" / FLANGED	CARBON STEEL BRONZE STAINLESS STEEL	OSCILLATING ANGLE: 0 TO 160 DEG, SPEED OF OSCILLATING: 0-40 DEG/SEC,
NF-M6	3" / FLANGED 4" / FLANGED 6" / FLANGED	CARBON STEEL STAINLESS STEEL	360 DEG HORIZONTAL ROTATION, -45 TO +80 DEG VERTICAL ELEVATION, WATER JET / AIR ASPIRATING NOZZLE
NF-TM	4 X 2 1/2" INST. MALE ACC. TO BS 336	CARBON STEEL (TRAILER MATERIAL)	TYPE: FOUR WHEELED MOBILE
NF-JM	2 X 2 1/2" INST. MALE ACC. TO BS 336	ALUMINUM PIPE STAINLESS STEEL PIPE	PORTABLE / MOBILE MONITOR

FLOW RANGE OF MONITORS ARE FROM 1000-4000 LPM @ 7 BAR

*: OTHER SIZES AND SPECIFICATION CAN BE FOLLOWED RECEIVING CLIENT ORDER



NOZZLES & SPRAY NOZZLES

NOZZLES

Nozzles are firefighting equipment that used with monitors and hoses. Negahban Co. is designer and manufacturer of variety of specialized firefighting hose and monitor nozzles to support firefighting systems.

ITEM:	INLET SIZE:	MATERIAL:	DES.:
NF-Z1	2 1/2" INST. MALE ACC. TO BS 336	ALUMINUM BRONZE CHROMED BRASS	WATER TYPE JET/FOG/SHUT OFF
NF-Z2	2 1/2" INST. MALE ACC. TO BS 336	ALUMINUM BRONZE	WATER TYPE
NF-Z3	2 1/2" FEMALE THREAD	ALUMINUM BRONZE	WATER TYPE FLOW UP TO APP. 2000 LPM JET/FOG/SHUT OFF
NF-Z4	2 1/2" FEMALE THREAD	ALUMINUM BRONZE	WATER & FOAM TYPE JET/FOG INDUCTION: 1% , 6%
NF-ZG	2 1/2" INST. MALE ACC. TO BS 336	ALUMINUM	WATER TYPE JET/FOG/SHUT OFF

*: OTHER SIZES AND SPECIFICATION CAN BE FOLLOWED RECEIVING CLIENT ORDER

